



PRATIK STAINLINK EQUIPMENT PRIVATE LIMITED



All Types of SS Fabrication & Engineering, and Laser Cutting & Bending Services

An ISO 9001 : 2015 Certified Company

INDEX

1. INTRODUCTION

ABOUT US
PROFILE

2. PRODUCT

PANEL
ENCLOSURE
TANKS
PHARMA & HOSPITAL PRODUCT
CABLE TRAY
GERANIUM DISTILLATION PLANT

3. FACILITY

MANIFACUTING
SERVICES

4. CLIENTS

5. CONTACT



Prashant Hatte - Director

"If you make a sale, you can make a living, If you make an investment of time and service in a CUSTOMER, you can make a FORTUNE"

ABOUT US

We take pride to introduce ourselves, **PRATIK STAINLINK EQUIPMENT PRIVATE LIMITED**, established in 2018, as leading professional Organisation engaged in manufacturing and supplying of **Stainless Steel Enclosures, Tanks, Skids and Wire Mesh Cable Trays**, SS Junction Box, SS Panel Box, SS Storage Tank, SS Stainer, SS Steamer, Hospital Beds, Hospital Equipments, Dairy & Food Equipments, Pharma Equipments, Stainless Steel Fabrication & Stainless Steel Engineering Works, Stainless Steel Laser Cutting, Stainless Steel bending and other related activities that are needed by Engineering Industries. Quality is nucleus of all our endeavours. Our technocrats and skilled workmen take to deliver flawless products within stipulated time to our esteemed customers. We leverage our expertise to provide effective solutions/services to the satisfaction of our customers.

PRATIK STAINLINK EQUIPMENT PRIVATE LIMITED is located in Pune, Maharashtra and widely appreciated amongst the buyers for the top quality products offered. Under the Managing Director, Mr. Prashant Hatte, we have ensured that the items are accessible in different sizes, shapes and measurements to satisfy the requests of our clients.

Vision

We aspire to be the most preferred organization for all customers through environment friendly and sustainable solutions that can make the world a better place.

Mission

- Develop and deliver cost-effective, safe, clean and reliable solutions that will maximize prosperity of our customers
- We will invest and partner in development and realization of new ideas recognizing the risks and working to mitigate them.
- Be a socially responsible corporate citizen
- Create wealth for our Workforce.

Values

- Integrity
- Innovation
- Passion
- Responsibility
- Agility
- Reliability

COMPANY PROFILE

NAME OF COMPANY : Pratik Stainlink Equipment Private Limited
SINCE : 2018
QUALITY STANDARD : ISO 9001 : 2015 Certified
COMPANY ADDRESS : Gat No. 343/1, Near Junanjai Park, Kasurdi (Khe-ba),
Tal. Bhor, Dist. Pune 412205 Maharashtra (India)
CMD : **Mr. Prashant Hatte, Mob. No. + 91 9850330042**
DIRECTOR : **Mr. Harshal Hatte, Mob. No. +91 9673866977**
E-MAIL : info@pratikstainlesssteel.in
WEBSITE : www.pratikstainlesssteel.in
CIN : U28999PN2020PTC195541
GST NO. : 27AALCP5554E1Z7
PAN NO. : AALCP5554E
UDYOG ADHAR : MH-26-0113893
NATURE OF ACTIVITY : Manufacturing & Service
MANUFACTURING TYPE : All Types Stainless Steel Fabrications.
NATURE OF COMPANY : Private Limited
CATEGORY OF ENTERPRISE : MICRO
PLANT AREA : Total - 8,000 sq. ft.
Construction - 7,500 sq. ft.
Open Space - 0,500 sq. ft.

Financial Details

ACCOUNT HOLDER : Pratik Stainlink Equipment Private Limited
BANK NAME : HDFC Bank Ltd.
BRANCH : Dahanukar Colony, Kothrud Pune-411038

PANEL



Technical Specification

- MOC SS304/ SS316
- Main body Thickness 1.2 / 1.6 / 2 MM
- Doors Thickness 1.2 / 1.6 / 2 MM (As per Required)
- Earthing stud in SS 304 are provided for each door.
- Mounting plate in SS or GI (As per Required)
- IP protection from IP-42 to IP-68 (As per Required)
- Removable door
- Junction Box with/without Wall mounting bracket
- Finishing internal 2B & external N4
- Mounting bracket 2 mm thick (If Required)
- Supporting Accessories in SS304/ SS316
- Gasket for door sealing formed-in-place foam Gasket
- Temperature range -10°C To +50°C



ENCLOSURE



Technical Specification

- MOC SS304/ SS316
- Main body Thickness 1.2 / 1.6 / 2 MM
- Doors Thickness 1.2 / 1.6 / 2 MM (As per Required)
- Earthing stud in SS 304 are provided for each door.
- Mounting plate in SS or GI (As per Required)
- IP protection from IP-42 to IP-68 (As per Required)
- Type of Door - Single, Double, Hinges, Screw Lock, Key Lock, Removable Etc.
- Junction Box with/without Wall mounting bracket
Finishing internal 2B & external N4
- Mounting bracket 2 mm thick (If Required)
- Supporting Accessories in SS304/ SS316
- Gasket for door sealing formed-in-place foam Gasket
- Temperature range -10°C To +50°C



TANK

Technical Specification

- MOC SS304/ SS316
- Material Thickness 1.2 / 1.6 / 2 MM
- Equipment structure can be done according to customer requirements.
- Stainless Steel Tanks (single, double & triple jacket) with insulation from 0.1 KL to 25 KL



HOOPER



PHARMA & HOSPITAL PRODUCT

Technical Specification

- MOC SS304/ SS316
- Material Thickness 1.2 / 1.6 / 2 MM
- Equipment structure can be done according to customer requirements.



S S VESSELS, PROCESS TANK, STEAMER



S S TROLLEY STAND, MOVABLE BASIN, CARDIAC, OVERHEAD & DRESSING TABLE



S S BED, FOOT STEP, STOOL / BENCH, FABRICATIONS



S S CLEAN ROOM FURNITURE FABRICATION, KANSYATHALI, BOTTLE HOLDER, SANITIZER DISPENSER

CABLE TRAY

PERFORATED TYPE CABLE TRAY

Technical Specification


- MOC SS304/ SS316
- Material Thickness 18 swg To 14 swg
- Standard Length of Tray 2500mm
- Width - 50 To 600 mm
- Height - 25 / 50 / 75 / 100 mm
- With all Standard Accessories.

Type of Cabletray

- Perforated Type Cable Tray
- Box Type Cable Tray
- Raceway
- Cover - Removable / Screw Fitting / C Clamp Fitting / Press Fitting / Sliding Type

Features

- Our Cabletray Help in Carrying cable though separate Channels.
- Specifically meant for easy access of cables in case of repair or modification.
- Not required drilling or welding and also can be quickly installed.
- Optimum quality




WIRE MESH CABLE TRAY

Technical Specification

- MOC SS304/ SS316
- Material Thickness 5 / 6 mm
- Standard Length of Tray 2000 / 2500 mm
- Width - 50 To 600 mm
- Height - 50 / 100 mm
- With all Standard Accessories.

Features

- Wire Mesh Cable Tray is best Solutions for Cable Management especially for sensitive Cable application.
- Easy to use between critical cable lines.
- Wire Mesh Cable Trays lay in convenient mounting applying minimum accessories as well as excellent ventilation of the cable routing.



GERANIUM DISTILLATION PLANT

Technical Specification

- MOC Stainless Steel & Mild Steel
- Design - Standard
- Usage/Application in Agriculture & Pharmaceutical Sector
- Heat Source - Boiler, Natural Gas, Coal, Firewood, etc.
- Capacity 500 To 1000 Kg
- Plant Manufacturing and Installation.
- Extract Raw Material - Flower and Leaves
- Finished Product - Rose Geranium Oil
- Usege of Product - Rose Geranium oil helps in balancing nervous system. It is also very beneficial for the lymphatic system. It can be used for the treatment of wounds, burns etc.

Features



- Oil extraction rate is very high
- Machine structure can be done according to customer requirements.
- Adapt to various heating methods
- This equipment is made of SS304 with Special Frame.
- It has Special condenser design which can extract the oil efficiently.
- This machine equips Digital Display Control System.



FACILITIES

MANUFACTURING & SERVICE FACILITIES

- LASER CUTTING
- BENDING
- PUNCHING MACHINEREIS
- WELDING AND SPOT WELDING
- CUSTOMESIED DESIGN
- ENGINEERING WORKS
- FABRICATION WORKS
- QUALITY CHECK AND MASURING EQUIPEMENTS.



CLIENTS



CONTANTS

PRATIK STAINLINK EQUIPMENT PRIVATE LIMITED



Gat No. 343/1, Near Junanjai Park, Kasurdi (Khe-ba), Tal. Bhor, Dist. Pune 412205
Maharashtra INDIA



Mr. Prashant Hatte, Mob. No. +91 9850330042

Mr. Harshal Hatte, Mob. No. +91 9673866977

Office Contact No. +91 78880 01086



info@pratikstainlesssteel.in | pratiksse@gmail.com



www.pratikstainlesssteel.in

